


Available domains

[example.parp](#)[HEAD](#)[sample.wtf](#)[third.org](#)

Create a new domain

Domain name:	<input type="text" value="sample.hockey"/>
User name:	<input type="text" value="johnl"/>
<input type="submit" value="Submit"/>	

Edit a domain

Domain name:	<input type="text" value="sample.hockey"/>
User name:	<input type="text" value="johnl"/>
<input type="button" value="Submit"/> <input type="button" value="Block edit"/>	
	; records for sample.hockey
New record:	<input type="text" value="A"/> <input type="button" value="Add"/>

Add a domain record

Name:	<input type="text"/>	Name of this record or blank
TTL:	<input type="text"/>	Time to live
rrname:	MX <input type="text"/>	
priority:	10 <input type="text"/>	Number
hostname:	<input type="text" value="mail.host.org"/>	Domain name
<input type="submit" value="Submit"/>		

Edit a domain

Domain name:	<input type="text" value="sample.hockey"/>
User name:	<input type="text" value="johnl"/>
<input type="button" value="Submit"/> <input type="button" value="Block edit"/>	
<input type="radio"/>	; records for sample.hockey
<input type="radio"/>	MX 10 mail.host.org
New record:	<input type="text" value="A"/> <input type="button" value="Add"/>

Add a domain record

- Bad IPv4 format

Name:**Name of this record or blank****TTL:****Time to live****rrname:****addr:**

- Enter a valid IPv4 address.

IPv4 address

Edit a domain

Domain name:	<input type="text" value="sample.hockey"/>
User name:	<input type="text" value="johnl"/>
Records:	<pre>; records for sample.hockey MX 10 mail.host.org</pre> <p>DNS records for a zone</p>
<input type="button" value="Submit"/>	

Edit a domain

Domain name:	<input type="text" value="sample.hockey"/>
User name:	<input type="text" value="johnl"/>
Records:	<ul style="list-style-type: none">Invalid IPv6 address
	<pre>; records for sample.hockey MX 10 mail.host.org www IN AAAA 1234:4567::hello</pre>
DNS records for a zone	
<input type="button" value="Submit"/>	